


## How do I add additional Archive Paths in Autoform DM 10 or later?

Kacper Dylewski - 2024-01-10 - Comments (0) - Autoform DM FAQs

This article will explain how to add additional Archive Paths to Autoform DM version 10 or later. We suggest you use this guide if your current storage is becoming full and you want to start archiving images to a new location.

Opening the REST API Documentation.

1. Log into Autoform DM.
2. Click the **Information** button shown in the following image.
3. Select **REST API documentation**, which will open the swagger documentation in a new tab.



The screenshot displays the Autoform DM web application interface. At the top, there is a navigation bar with the 'Autoform DM' logo and a 'Please select an Application to run' dropdown. Below this, a sidebar on the left contains menu items: 'Applications', 'Administration', 'Address Book', and 'Change Password'. The main content area shows a search bar and a 'Document Import' button. A modal window titled 'Autoform DM Information' is open, displaying 'Autoform DM Documentation' with links for 'Autoform DM User Guide' and 'REST API Documentation' (the latter is highlighted with a red box). Below this, there are links for 'Terms & Conditions' and 'EULA Document'. To the right of the modal, the 'Autoform DM 10.3.0' system information is shown, including the company name 'Formpipe Software Limited', address, and contact details. At the bottom of the modal is a 'Close' button. The bottom status bar of the application shows 'Logout', an information icon (highlighted with a red box), a download icon, and a message: '> 2 Applications retrieved successfully'.

4. Scroll down through the document until you reach a section where you can execute the REST API commands.

REST API commands

The recommended REST API commands:

**A:** Archive Paths are managed using the **/archive-paths** resource:



**B:** Review what archive paths are present in the system by using **GET /archive-paths/paths**:



This will return archive paths in JSON format, for example:

```
[
  {
    "name": "file-path-1",
    "type": "DIRECTORY",
    "path": "c:/archive"
  },
  {
    "name": "file-path-2",
    "type": "DIRECTORY",
    "path": "c:/archive/chunks";
  }
]
```

This lists all archive paths in the system, hence including the **documents** and **chunks** paths.

**C:** To identify which path is currently set as either the **document** or **chunks** paths use the following operations:



These will return the name of the archive path set for each purpose, for instance: file-path-1.

**D:** To add a new archive path in addition to the existing one, use **POST /archive-paths/paths**.



For example, adding a new path called "my-new-path" in the location "c:\other-archive" you would use:



When executing this, ensure you see a **200 OK** response.

You can verify the path has been added by using the **GET** operation from command **B** - you should see it now listed in the response.

**E:** The new archive path is now ready for use and can be set as the new **document** or **chunk** path as desired using:



For example, to set the newly added path my-new-path as the **document path** use the first option from above and set the body to the new archive path name, e.g.



Note

1. The above example shows the use of a forward slash "/" in the path because a single "\" backslash is treated as an escape character. However, for UNC path eg \\efspdm-02\ef\$archive. Please use a double backslash for each single back slash for example:

```
"path" : "\\efspdm-02\\ef$archive"
```

2. This process will not create the new folder. To do that use Windows File Explorer.

3. After setting this up all new images will be archived to the new location, but searches for older documents will still pull the image from the old location.